

BICYCLE ACCESSORIES & PARTS CATALOG



Sunny Technologies Co.,Ltd.



Company Profile & History

Sunny Technologies Co., Ltd. was founded in 1985. We started from computer cases and power supplies. With 30 years experiences of exporting, that is the reason why we have got good reputation worldwide.

From 2007, we expanded our product line to bike and vehicle accessories. We have been dedicating to research different types of bike carries from interior to external application, which is including bike carrier, bike rack, bike accessories, and vehicle accessories.

From 2014, we develop more outdoor relative products, which is including fishing, water activities, and cooling maker (portable air conditioner can be used inside a vehicle, a dining car, a camping car, or a tent, and also fit into small spaces in the office, bedroom, or living room). Our aim is to provide best quality, service, and competitive products.

Under the continuous efforts of our team, we've won the trust and reputation from OEM and ODM customers. Our customers are worldwide and appreciate our good supports.

Welcome contact us!



Content

BICYCLE ACCESSORIES and PARTS

- Bike Tools 3~6
- Bike Appliance 7~14
- Bike Parts 15~22
- Motorcycle Tools 23

Bike Tools

SB-22-1313

Chain Rivet Extractor

For Shimano® compatible HG/UG/IC chains, steel. Perfectly for 7, 8, 9, 10, 11, and 12 speed chains.



SB-22-139D

Chain Rivet Extractor

Chain Rivet Extractor CP For 6, 7, 8, 9, 10, and 11 speed chains.



SB-22-1319A

Pliers

- Spring loaded Pliers easily installed or removed master links.
- Wire latch holds the handles together when not in use



SB-22-1827

Pedal Wrench

15mm open end wrench tool for installation, removal and maintenance of pedals. Offset angle keeps knuckles away from crank arms and chainrings. Long padded handle for better leverage and comfortable use.



SB-22-1825

Hydraulic caliper Press

Hardened steel caliper pressing tool to push back pistons when replacing/aligning pads or bleeding hydraulic brake systems. Long padded handle for better leverage and comfortable use.



SB-22-1829

Rotor Truing Tool

Ergonomically designed disc brake rotor truing tool. Long padded handle for better leverage and comfortable use.



SB-22-1712

Cartridge Bottom Bracket Tool

Shop grade tool for removal and installation of Shimano® and ISIS Drive® bottom bracket cups. 1/2" socket for tool interface flexibility.



SB-22-1713

Cartridge Bottom Bracket Tool

Shop grade tool for removal and installation of Shimano® and ISIS Drive® bottom bracket cups. Fits both 24 mm wrench and 1/2" socket for tool interface flexibility.



Bike Tools

SB-22-1751

Freewheel Remover

Fits Shimano®, SRAM® and other Cassette Lockrings
Use with 1/2" Dr driver and 21mm headset wrench



SB-22-1752

Freewheel Remover

Fits Shimano®, SRAM® and other cassette lockrings.
Fits Shimano® center lock disc brake lockrings



SB-22-1753

Freewheel Remover

For Shimano® MF Freewheels.
Use with 1/2" Dr driver and 21mm headset wrench.



SB-22-1754

Freewheel Remover

For Shimano® MF Freewheels.
Use 24mm headset wrench.



SB-22-1826

Freewheel Turner and Sprocket Removal Tool

Hardened steel chain whip for rear cassette lockring and freewheel installation and removal.



SB-22-208

Freewheel Turner (Chain Whip)

Back coated handle



SB-22-151-8A

Spoke Wrench

8-Grooves Spoke Tool,
9-15G Nipples



SB-22-1800

Universal Crank Puller

This tool has a built-in rotating tip for square tapered crank arms and an additional rotating tip for ISIS Drive® and Octalink® crank arms.



SB-22-1802

Chainring Nut Wrench

Hardened steel tool that holds slotted chain ring nuts to prevent spinning when installing or removing chainring bolts. Fits most slotted chain ring nuts.



Bike Tools

SB-22-1112

Nylon / Fiberglass Filled Tire Lever

Set of 3 pcs



SB-22-1115

Nylon / Fiberglass Filled Tire Lever

NEW



SB-22-1357

Cutting Tools

Saw Guider, up to 1" – 1-1/4".



SB-22-9014

Portable Wheel Dishing Gauge

Wheel Alignment Gauge

For checking 16" ~ 29" wheels



SB-22-9011

Professional Wheel Truing Stand

Ergonomically designed disc brake rotor truing tool.

Long padded handle for better leverage and comfortable use.

Features:

- Longer, stronger uprights to accept wheels up to 29" with or without tire
- Taller, more accurate calipers accept rim widths wide up to 4"
- Accepts hub width up to 180mm
- Stronger, more comfortable knobs
- Uprights move simultaneously to accommodate front and rear wheels
- Spring-loaded calipers and caliper arm prevent binding
- Smooth, accurate operation



Bike Tools

ST-11-101

16 IN 1 Bike Tool

- ◆ 2-2.5-3-4-5-6-8mm
- ✎ 8-10-15 mm
- 8-9-10mm
- ⊕ 2 ⊖ 5
- 1 Spoke Wrench: 14Ge
- Packed: Black Nylon Pouch Bag



ST-11-102

23 In 1 Repair Tool Kit

- 4 ◆ 4-5-6-8 mm
- 4 ⊕ 1-2 ⊖ 4-6
- 6 ○ 8-9-10-12-13-14 mm
- 1 Screwdriver bit holder
- 1 Adjustable Wrench
- 3 Lock Ring Wrench
- 1 O Spoke Wrench
- Packed: Pouch Bag with Camouflage printing



ST-11-103

18 IN 1 Bike Tool Set

- 1 O Spoke Wrench
- 2 Pedal Removal: 13/14 and 15/16
- 1 Chain River Extractor
- 1 Cotterless Crank Tool
- 3 Tire Lever 1 Cartridge B.B. Tool
- 1 Freewheel Remover 1 Repair Set
- 4 1/4" Socket: 8-10-13-14mm 1 16 IN 1 Bike Set
- 1 Freewheel Turner (Chain Whip)
- 1 8mm Fit Adapter 1/2" Hex Key Wrench with Square Head
- Packed: Black Blow Case with Black Buckle+Shrink



ST-11-104

Mini Preset Torque Wrench (8pcs)

- 8 pcs Torque Set 0.6Nm±15%
- 0.9 Nm±15%
- 1.2 Nm±15%
- 1.4 Nm±15%
- 2 Nm±10%
- 3 Nm±10%
- 4 Nm ±10%
- 5 Nm ±10%



Bike Appliance

SA-17-116

4mm x 4mm x 60cm Square Chain

With heat treatment, with PP black sleeve, 4-digit resettable combination.



SA-17-117

4mm x 4mm x 60cm Square Chain

With heat treatment, with PP black sleeve, 2 keys



SA-17-109

15'3/8" cable
(10mm*457cm)
with double loop



SA-17-110

U shackle lock,
14*108*117mm



SA-17-109S+110

Combine SA-17-109 15'3/8" cable (10mm*210cm) with double loop + SA-17-110 U shackle lock, 14*108*117mm



SB-11-210

Alternative Bike Adapter

Material: Steel with Black Powder Coating

Max load: 15 kgs

- Feature:
- Creates a top tube for non-conventional frames or ladies bikes to put the bike on bike carrier
 - Internal spring keeps your bike secure
 - Telescopic bar fits multiple bike sizes
 - Easy to install and removal
 - Quick release
 - Patent design for hanger



SB-11-222

Bike Adapter

Material: Steel with Yellow-Zinc Plated

Max load: 15 kgs

- Feature:
- Creates a top tube for non-conventional frames or ladies bikes to put the bike on bike carrier
 - Telescopic bar fits multiple bike sizes.
 - Easy to install and removal
 - Light weight



**Australia exclusive

SB-11-223

Bike Adapter

Material: Steel with Yellow-Zinc Plated

Max load: 15 kgs

- Feature:
- Creates a top tube for non-conventional frames or ladies bikes to put the bike on bike carrier
 - Telescopic bar fits multiple bike sizes.
 - Easy to install and removal
 - Light weight



SB-10-229

Space Cadet (set of 2pcs)

Material: Plastic

Feature: To avoid bikes hit each other



Bike Appliance

SB-11-224

Fork Mount

Suitable model: For Pickup, SUVs, Trailers, and Minivans

Material: Steel with Black Powder Coating

- Feature:
- Easy to set up
 - 9 mm Quick Release Skewer included
 - Quick and easy to use
 - Fits most bikes



SB-11-225

Fork Mount – 15 mm

Suitable model: For Pickup, SUVs, Trailers, and Minivans

Material: Steel with Black Powder Coating

- Feature:
- Easy to set up
 - Fits most 15mm x 100mm forks
 - Quick and easy to use



SB-11-226

Fork Mount – 20 mm

Suitable model: For Pickup, SUVs, Trailers, and Minivans

Material: Steel with Black Powder Coating

- Feature:
- Easy to set up
 - Fits most 20mm x 110mm forks
 - Quick and easy to use



SB-11-227

Fork Mount Adapter – 15 mm

Material: Steel with Black Powder Coating

- Feature:
- Fits most 15mm x 100mm forks
 - Easy to install
 - Patented



SB-11-228

Fork Mount Adapter – 20 mm

Material: Steel with Black Powder Coating

- Feature:
- Fits most 20mm x 110mm forks
 - Easy to install
 - Patented



SB-11-229

Anchor Point & Fork Mount 2 in 1

Suitable model: For pickup and trucks

Material: Aluminum Alloy

- Feature:
- Quick release holds bike by front fork
 - Fits standard 9mm fork
 - 9mm skewer included
 - Patented



SB-15-150

Bottle Cage

Suitable model: for normal bike water bottle

Material: Aluminum Alloy

Max. load: 2 kgs

Size: 84 x 75 x 150mm

- Available color:
- SB-15-150A : Anodize color (silver, gold, blue, red, green, brown)
 - SB-15-150B : ED BLACK



SB-15-156

Bottle Cage

Suitable model: for 1500cc bottle

Material: Aluminum Alloy

Max. load: 3 kgs

Size: 84 x 75 x 150mm

Color: ED BLACK



SB-15-152

Bottle Cage

Suitable model: for normal bike water bottle

Material: Aluminum Alloy

Max. load: 2 kgs

Size: 84 x 75 x 150mm

- Available color:
- SB-15-152A : Anodize color (silver, gold, blue, red, green, brown)
 - SB-15-152B: ED BLACK



SB-15-154

Bottle Cage

Suitable model: for normal bike water bottle

Material: Stainless steel

Max. load: 2 kgs

Size: 79 x 78 x 145mm

Color: Electric polish



Bike Appliance

SB-15-100

Kickstand

Material: Aluminum Alloy

Max. load: 16 kgs

Size: 30 x 18 x 350mm

Color: ED BLACK

Feature: • Length adjustable from 24"- 700C bike or 26"- 29" bike
• Quick release installation to prevent scratching to bike frame

SB-15-100A For 24"- 700C

SB-15-100B For 26"- 29" bike



SB-15-102

Kickstand - upstand with bracket

Suitable model: 700C bike

Material: Aluminum Alloy

Max. load: 10 kgs

Size: 23 x 23 x 345mm

Color: Anodized BLACK

Feature: • Designed especially for road bike parking
• Quick release installation to prevent scratching to bike frame
• Easy storage - folding to a small piece or mounting to the bracket



SB-15-204

Carrier

Suitable model: for 26" or 28" bike

Material: Aluminum Alloy

Max. load: 25 kgs

Size: 330 x 130 x 370mm

Color: Black Powder Coating

Feature: Normal rear carrier



SB-15-104

Center Kickstand

Suitable model: 20"-28" bike

Material: Aluminum Alloy

Max. load: 15 kgs

Size: 57 x 30 x 230mm

Color: Silver

Feature:

Normal center stand



SB-15-200

Carrier

Suitable model: for 24.4 - 31.8mm seat post

Material: Aluminum Alloy

Max. load: 15 kgs

Size: 370 x 125 x 82.5mm

Color: Powder coating in Silver or Black

Feature: Seat post installation rear carrier

SB-15-200A Silver

SB-15-200B Black



Bike Appliance

SA-18-001A

Mirror

Material: ABS + Coating / PA / Glass

Fits for \varnothing 14.5 ~ \varnothing 19.5mm handlebar-end

Mirror size: 93mm x 54mm


Multi-angle adjustable

Convex mirror

Available mirror frame color: Black, White, Yellow

Available selection:

- SA-18-001AL: Left Mirror (single item)
- SA-18-001AR: Right Mirror (single item)
- SA-18-001AL & AR: Set of Left and Right Mirror



SA-18-003A

Mirror

Material: ABS + Coating / PA / Glass

Fits for \varnothing 14.5 ~ \varnothing 19.5mm handlebar-end

Mirror size: 81mm x 63mm


Multi-angle adjustable

Convex mirror

Available mirror frame color: Black, White, Yellow, Red

Available selection:

- SA-18-003AL: Left Mirror (single item)
- SA-18-003AR: Right Mirror (single item)
- SA-18-003AL & AR: Set of Left and Right Mirror



SA-18-005

Mirror

Material: ABS + Coating / PA / Glass

Fits for \varnothing 18 ~ \varnothing 21mm Inner Diameter bar-end

Mirror size: 53mm x 38mm


Multi-angle adjustable

Convex mirror

Available mirror frame color: Black, White, Yellow, Red

Available selection:

- SA-18-005L: Left Mirror (single item)
- SA-18-005R: Right Mirror (single item)



SA-18-005A

Mirror

Material: ABS + Coating / PA6 / Glass / Silicone

Fits for \varnothing 18 ~ \varnothing 21mm Inner Diameter bar-end

Mirror size: 53mm x 38mm


Multi-angle adjustable

Convex mirror

Available mirror frame color: Black

Available selection:

- SA-18-005AL: Left Mirror (single item)
- SA-18-005AR: Right Mirror (single item)



Bike Appliance

SB-17-200

Child Seat – Rear Fixation

Suitable model: Fits bike with rear carrier



Seat dimensions (with headrest): width 310 x
height 695 x depth 240mm

Material: Plastic

Max load: 22 kgs

Available colors of main seat: Blue, Grey

- Feature:
- Assemble on rear carrier (not included)
 - Attached protected handlebar and headrest
 - With Adjustable footrests



Roller Trainer

SB-17-001

Cycle Roller Trainer

Suitable model: Fits most bikes, including 20" ~ 29"

Material: Plastic

Max load: 100 kgs

Available colors of roller: Blue, Red

Feature:

- Specially designed and stable pedal make it more easily to get on and off

- Folded down promptly and easy to be stored and carried
- Easy to use, completely assembled



SB-17-002

Cycle Roller Trainer

Suitable model: Fits most bikes, including 20" ~ 29"

Material: Plastic



Max load: 100 kgs

Available colors of roller: Blue, Red

Feature:

- Front roller can be manually operated to adjust the position without using tools

- Heightened rotation device of the front roller prevents the bike from falling down
- Better the cyclist's cycling posture, stability and balance
- Folded down promptly and easy to be stored and carried



SB-11-221

Trainer

Material: Steel with Black Powder Coating

Size: For 26" to 28" bike

Feature:

- Steady and progressive wind resistance

- Change resistance by shifting gears
- Heavy duty construction
- Quick release mechanism for easy attachment and removal of bike
- Foldable for easy carry and store



Bike Appliance

SB-21-100 / SB-21-100L Bike Stand

- Suitable Model: Fits 20" ~ 29" Bike
- Material: Steel
- Feature: Adjustable for fit wheel size from small to 10cm(SB-21-100) or 15.5cm(SB-21-100L)


PATENT



SB-21-102 Bike Stand

Suitable Model: Fits all bike sizes
Material: Steel
Max load: 15 kgs/carries up to 1 bike
Feature: Hanging foldable for saving space

PATENT



SB-21-104 Bike Stand

Suitable Model: Fits all bike sizes
Material: Steel
Max load: 15 kgs/carries up to 1 bike
Feature:

- Hanging foldable for saving space
- Storage of helmet and etc.

PATENT



SB-11-212 2 Bike Storage System

Material: Steel with Black Powder Coating
Feature:

- Patented telescopic rod design to easily set up or take down
- Expands from 1.60m to 2.90m to brace between floor and ceiling
- Carries up to 30 kgs vertical load for 2 bikes
- Hooks can be set at varying heights and angles
- Hold almost any bike size or shape




Bike Appliance

SB-21-106 Bike Stand

Suitable Model: Fits all bike sizes
 Extendable in max. to 220 cm height
 Material: Steel
 Max load: 30kgs/carries up to 2 bikes
 Feature:

- Adjustable rod and hangers to fit your bike sizes
- Please make sure the short led to be closed to the wall
- No need to extend to the top roof, and don't worry fall down

PATENT



SB-21-110 Bike Stand

Suitable Model: Fits 20" ~ 29" Bike
 (For NO DISC Bike)
 Material: Steel
 Feature: Simple design and durable


PATENT



SB-21-110A Bike Stand

Suitable Model: Fits 20" ~ 29" Bike
 (For DISC Bike)
 Material: STEEL
 Feature: Simple design and durable

PATENT




SB-10-232 Bike Stand

Material: Steel
 Feature: • Quick and easy to park or display bikes
 • Easy to fold and storage when not in use
 • Perfect for small garages, apartments, cortile



SB-21-112 Bike Stand

Suitable Model: Fits 20" ~ 26" Bike
 Material: Steel
 Feature: Extendable automatically and easy to use



Bike Appliance

SB-11-213

Expandable Bike Stand

Material: Steel Tubing with Silver Powder Coating

- Feature:
- Quick and easy floor rack holds up to 3 bikes
 - Expandable with purchase of additional parts
 - Suitable for campsite, garage, campus, roadside
 - Fits various size of wheel



SB-11-214

Floor Bike Stand for 4 Bikes

Material: Steel Tubing with Black Powder Coating

- Feature:
- Quick and easy floor rack holds up to 4 bikes
 - Expandable with purchase of additional parts
 - Suitable for campsite, garage, campus, roadside
 - Fits various size of wheel



SA-20

E-Bike Power Kit

Feature of **Mid-Drive Motor**:

- Easily modify to be an E-Bike by DIY
- Easy installation and maintenance
- Increase up 40% Torque, 10% Endurance, 10% Efficiency
- Speed up your bike, green up your life!



Rated Voltage (DC)	36V / 48V
Rated Power(W)	250W/350W/500W/750W
Position	BB Tube
Wheel Diameter(inch)	16"/18"/20"/22"/24"/26"/700C/28"
n0 (rpm)	90rpm
Max Torque (N.m)	80N.m
Consintruction	Gear Drive
Shaft Standard	JIS
Controller	36V/17A, 48V/20A Intelligent Controller
Pedal Sensor	Speed and Torque Integrated
Reduction Ratio	1:23
Magnet poles(2P)	16
Noise Grade (dB)	<55
Operating Temp.(°C)	-20~45°C
Weight(kg)	3.6/3.8/4.0/4.2
Color	Black
Chainwheel	38T/42T/46T Variable Speed Gear
Certification	CE/ROHS/EN ISO13849-1



Bike Parts

SBP-10-101 Bike Saddle

Base: Single Density
Fill: High Density
Rail: Chromoly/Steel
Key Point: ArcTech/
Zone Cut/U carry
Weight: 2 44g
Size: 276 x 153mm



SBP-10-102 Bike Saddle

Base: Single Density/
Double Density
Fill: High Density
Rail: Chromoly/Steel
Key Point: ArcTech/
Zone Cut/U carry
Weight: 384g
Size: 276 x 166mm



SBP-10-103 Bike Saddle

Base: Double Density
Fill: High Density
Rail: Chromoly/Steel
Key Point: ArcTech/
Zone Cut/U carry
Weight: 475g
Size: 270 x 195mm



SBP-10-105 Bike Saddle

Base: Nylon Fiber Injection
Fill: Gel Padding/
Soft Foam Density
Rail: Chromoly/Steel
Key Point: ArcTech/
Zone Cut
Weight: 335g
Size: 264 x 139mm



SBP-10-106 Bike Saddle

Base: Double Density
Fill: Soft Foam Density
Rail: Steel
Key Point: ArcTech/
Zone C.ut
Weight: 409g (steel)
Size: 274 x 178mm



SBP-10-107 Bike Saddle

Base: Double Density
Fill: Soft Foam Density
Rail: Steel
Key Point: ArcTech/
Zone Cut
Weight: 365g (steel)
Size: 274 x 178mm



SBP-17-101 Pedal

Body: Polycarbonate or Nylon
Size: 100x94mm
Axle: Boron
Bearing: Loose ball type
Weight: 370g/pr



SBP-17-102 Pedal

Body: Alloy high polished
Cage: Steel or alloy
Size: 75x62mm
Axle: Cr-Mo. CNC machined
Bearing: 2 sealed ball bearing
Weight: 280g/pr



SBP-17-103 Pedal

Body: CNC machined aluminum
Size: 100x104x18mm
Axle: Cr-Mo. CNC machined
Bearing: 2 sealed ball bearings
Color: Silver or optional
Weight: 392g/pr



SBP-17-104 Pedal

Body: alloy silver w/steel cage, cage w/fiber
particulate composite cover (rice husk)
Size: 79x68mm
Axle: Boron steel
Bearing: Loose ball type
Color: Brown
Weight: 388g/pr



SBP-17-105 Pedal

Body: Fiber particulate composite (rice husk)
Size: 100x83mm
Axle: Boron
Bearing: Loose ball type
Color: Brown or black
Weight: 378g/pr



SBP-17-106 Pedal

Body: Alloy body silver, steel cage
Size: 80x120mm
Axle: Cr-Mo
Bearing: 3/32" ball type lightly
Weight: 450g/pr



Bike Parts

SBP-12-101

Fork

Carbon Trekking Fork w/Pivot
Steer: 1 1/8" Alloy
Integrated: 45 or 50mm
Offset: 43-48mm
Tire clearance: 54mm
Weight: 650g



SBP-18-101

Brake Lever

Aluminum Lever Handle and Bracket
Color: silver, black, gold or copper anodized
Ø22.2mm or Ø23.8mm stainless clamp
Weight: 120g/pair



SBP-12-102

Fork

700C Carbon Racing Fork w/Disc
Steer: 1 1/2" or 1 1/8" Alloy
Integrated: 56mm or 50mm
Offset: 43-47mm
Tire clearance: 35 or 45mm
Weight: 660g



SBP-18-102

Brake Lever

Aluminum high polished lever in silver anodized with cast bracket and cable adjuster
Color: Brown, Black & White rubber hoods
With quick release
Weight: 240g/pair



SBP-12-103

Fork

Carbon Monocoque
Fat Bike Fork w/Post
Mount, 15mm Thru-Axle
Steer: 1 1/2" Carbon
Integrated: 56mm
Offset: 45mm
Tire clearance: 146mm
Dropout width: 150mm
Weight: 750g



SBP-18-103

Brake Lever

Cold forged aluminum Lever handle
(Silver or black anodized)
Diecast aluminum Bracket(silver painting or black ED)
Handle bar trailing cable mount system
2mm Allen-key reach adjustment system
Handle Bar Diameter over ID19mm (option ID16.5-19mm)
Weight: 200g/pair
(192/pair for ID16.5-19mm)



SBP-12-104

Fork

Alloy Gravel Fork
Steer: 1 1/8" Alloy
Integrated: 45~50mm
Weight: 850g
Option: Pivot, IS Mount,
Post Mount, 12/15mm Thru-Axle



SBP-18-104

Brake Lever

Diecast aluminum bracket (black finish, powder white)
Cold forged aluminum lever handle
(silver finish, Anodized, powder white)
Freestyle use
Weight: 196g/pair



Bike Parts

SBP-11-101

Crankset


Alloy forged & CNC crank
Length 160~175mm, BCD110
Alloy 7075-CNC chainring 48/34T or 50/34T...and others
Surface finished polish silver anodized.
compatible JIS square BB-axle
Box packaging



SBP-11-102

Crankset

Alloy forged crank
Length 150~180mm, BCD144
Alloy 7075-CNC chainring 60/50/36T, with alloy chain-guard
Surface finished polish silver crank and chainring, and polish red color chain-guard.
Compatible JIS square or ISIS BB-axle
Box packaging



SBP-11-103

Crankset

Alloy crankset with integrated BB-set.
Length 150~220mm, BCD104/64
Alloy 7075-CNC chainring 34/22T or 36/22T...and others
Surface finished sandblast black full set
Integrated BB-set includes
Box packaging



SBP-11-104

Crankset

Alloy forged crank
Length 160~175mm, BCD104/64
Alloy 7075-CNC chainring 44/29T or 42/22T...and others
Surface finished sandblast black full set
Compatible JIS square or ISIS BB-axle
Box packaging



Bike Parts

SBP-15-101

Disc Brake-Hydraulic

Caliper: Forged alloy, automatically positioning

Lever: Melt-forged alloy

Hose: Front 750mm, rear 1350mm

w/rotor front & rear 160mm

Weight: front 322g, rear 340g



SBP-15-102

Disc Brake-Hydraulic

Caliper: Forged alloy, automatically positioning

Lever: Melt-forged alloy

Hose: front 750mm, rear 1350mm

w/rotor front & rear 160mm

Weight: front 300g, rear 320g



SBP-15-103

Disc Brake- Mechanical

Caliper: Melt-forged aluminum

w/rotor front & rear 160mm

Control: cable actuated

Weight: 214g/wheel



SBP-15-104

Disc Brake

Caliper: Melt-forged aluminum

w/rotor front & rear 160mm

Control: cable actuated

Weight: 225g/wheel



Disc Rotor

Part No.	Diameter	Material	Color	Weight	Features	TW	VN
SBP-DXR1406	Ø140mm	Stainless	Silver	91g	-	x	-
SBP-DXR1606	Ø160mm	Stainless	Silver	109g	-	x	-
SBP-DXR1806	Ø180mm	Stainless	Silver	133g	-	x	-
SBP-DXR2006	Ø203mm	Stainless	Silver	164g	-	x	-



Bike Parts

SBP-16-101

Frame

Material: Stainless
 H/T: 37x34 stainless
 T/T: 31.8x0.8x0.5x0.8 Stainless
 S/T: 29.8/28.6x1.2x0.6x0.9 Stainless
 D/T: 34.9x0.8x0.5x0.8 Stainless
 S/S: 16x0.8 Stainless, C/S: 22.2x0.8 Stainless
 BB: 39x34x68, DP: OHDP017 w/ e-thru hanger + screw Raw finish



SBP-16-102

Frame

Material: Cr-mo +Lug 4pcs
 HT: 31.8x1.6x30.15 Cr-mo
 T/T: 28.6x0.9x0.6x0.9 Cr-mo
 S/T: 28.6x0.9x0.6 Cr-mo
 D/T: 31.8x1.0x0.7x1.0 Cr-mo
 S/S: 16x0.9 Cr-mo, C/S: 22.2x0.9 Cr-mo
 BB: 39x34x68, DP: OHDP006 w/screws 2pcs Raw finish



SBP-16-103

Frame

Material: Cr-mo
 H/T: 37x33.95 Cr-mo modified w/regular head tube
 T/T: 28.6x0.9x0.6x0.9 Cr-mo
 S/T: 29.8/28.6x1.2x0.6x0.9 Cr-mo
 D/T: 31.8x1.0x0.7x1.0 Cr-mo
 S/S: 16x0.9 Cr-mo, C/S: 22.2x0.9 Cr-mo
 BB: 39x34x68, DP: OHDP006 w/Screw 2pcs Raw finish



SBP-16-104

Frame

Material: Cr-mo
 H/T: 48x43.95 Cr-mo w/o machined
 T/T: 34.9x0.8x0.5x0.8 Cr-mo
 S/T: 34.9x1.6x1.1 Cr-mo
 D/T: 38.1x1.2x0.9x1.01.2 Cr-mo round tube
 S/S: 16x0.9 Cr-mo, C/S: 22.2x0.9 Cr-mo
 BB: 39x34x73, DP: OHDP012 w/ e-thru hanger + Screw Raw finish



Bike Parts

SBP-19-101 Handlebar

Material: AL6061 light weight for relaxing riding
Central Dia: Ø31.8
Width: 630 / 660 mm
Rise: 34mm
Sweep: 41"
Weight: 315g (w:660)
Features: Flat wing shape with smooth transition from 31.8mm bar clamp for better grip and fancy looks.



SBP-19-102 Handlebar

Material: AL6061
Central Dia: Ø31.8
Width: 700 / 720 / 740 / 760mm
Rise: 0mm
Sweep: 15"
Reach: 120mm
Weight: 504g (w: 760)
Standard: ISO 4210-M



SBP-19-103 Handlebar

Material: AL6066
Central Dia: Ø31.8
Width: 400 / 420 / 440 / 460mm
Drop (D): 138
Flared: 8 (to improve steering stability)
Weight: 315g (w: 440)
Features: Ergonomically designed with a backswept flat, and outward sloping Angled ramp takes pressure off the thenar eminence & better control



SBP-19-104 Handlebar

Material: AL6061
Center Dia: Ø25.4 / Ø31.8
Width: 600mm
Rise: 27mm (Ø25.4) / 26mm (Ø31.8)
Weight: 447g (Ø31.8 x W: 600)
Features: Light Weight touring handlebar with long and multi bends



SBP-19-105 Handlebar

Material: AL7050
Center Dia: Ø31.8
Width: 680 / 700 / 740 / 760 / 780 / 800mm
Rise: 20mm
Sweep: 7°
Weight: 340g (W: 740)
Standard: ISO 4210-M



SBP-19-106 Handlebar

Material: AL7050
Center Dia: Ø35
Width: 760 / 780 / 800
Rise: 25
Up Rise: 5°
Sweep: 7°
Weight: 292g (W: 800)
Standard: ISO4210-M



SBP-19-107 Handlebar

Material: AL6066
Center Dia: Ø31.8
Width: 380 / 400 / 420 / 440 / 460mm
Drop(D): 122(380)/124(400)/126(420)/128(440)/130(460)mm
Reach(R): 70 mm
Flared: 8° / 16°
Weight: 275g (W: 420, 8°)
Features: Carbon tunnel allows for easy cable housing access & bike assembling



SBP-19-108 Handlebar

Material: Full Carbon
Center Dia: Ø31.8
Width: 620/640/660/680/700/720/740/760/780mm
Rise: 12mm
Sweep: 9°
Weight: 237g (W:780)
Standard: ISO 4210-M



Bike Parts

SBP-10-G101

Grip

Material: AT-Rubber

Key Point: Single Density

Vis: W/O Vise

Spec: Ø 19.5mm 130mm / 92mm



SBP-10-G102

Grip

Material: AT-Rubber / Cover

Key Point: Single Density /Anatomic Design/Hand-Stitching

Vis: W/O Vise

Spec Ø 20.5/20mm 125/92/80mm



SBP-10-G103

Grip

Material: AT-Rubber / Gel

Key Point: Double Density / Anatomic Design

Vis: W/O Vise

Spec: Ø 19.5mm 135/92mm



SBP-10-G104

Grip

Material: Hard Plastic/VEXK

Key Point: Double Density

Vis: G2, One Side Ring

Spec: Ø 22.4 mm 135/135mm



SBP-10-G105

Grip

Material: Silicone Foam Key

Point: Light Weight

Vis: W/O Vise

Spec: Ø 18mm (open end) 137/137mm



Bike Parts

SBP-20-101(F)

Wheelset

RIM(6061-T6): 20"x36H, A/V
HUB(Iron): Black, 2 sealed BEARINGS
O.L.D: 100mm
SPOKE(Stainless Steel): Black
WEIGHT: 962g



SBP-20-101(R)

RIM(6061-T6): 20"x36H, A/V
HUB(Iron): Black, 5 sealed BEARINGS
O.L.D: 110mm
SPOKE(Stainless Steel): Black
Nipple: Black Brass
WEIGHT: 1259g

SBP-20-102(F)

Wheelset

RIM(6061-T6): 27.5"x32H, F/V
HUB (7075): Black, 2 sealed BEARINGS
O.L.D: 110mm
SPOKE(Stainless Steel): Black
WEIGHT: 968g



SBP-20-102(R)

RIM(6061-T6): 27.5"x32H, F/V
HUB(7075): Black, 2 sealed BEARINGS
O.L.D: 110mm
SPOKE(Stainless Steel): Black
WEIGHT: 1145g

SBP-20-103 (F) (R)

Wheelset (for kids)

RIM(6063-T6): 12"x20H, A/V
HUB(7075): Black, 2 sealed BEARINGS
O.L.D: 95mm
SPOKE(Stainless Steel): Black
Nipple: Black Brass
WEIGHT: 295g



Motorcycle Tools

SB-22-M34

Motorcycle Tool


240mm Socket Type Tire Lever



Motorcycle Tool

SB-22-M36 Spoke Wrench #8, #9

SB-22-M36A Spoke Wrench #8, #10



SB-22-M37

Motorcycle Tool

Spoke Wrench #10, #11



SB-22-M203A

Motorcycle Chain Rivet Extractor

Spoke Wrench #10, #11





Sunny Technologies Co.,Ltd.

11F-3, No. 2, Ln. 212, Sec. 3, Heping E. Rd., Da'an Dist.,
Taipei City 10674, Taiwan

Tel: 886-2-27352298 Fax: 886-2-27330076

<http://www.sunnytec.com>